



MR. J. ENRIQUE PERAZA SANCHEZ, ARCHITECT, GENERAL SECRETARY OF AITIM (Technical Research Association of the Wood Industries) AND SECRETARY OF THE MANAGING COMMITTEE OF AITIM QUALITY MARK

**CERTIFIES:**

That, at present, LOPEZ PIGUEIRAS, S.A has the

Quality Mark	4-3-13 (a)	Wooden flooring - Solid parquet elements with grooves and/or tongues
--------------	------------	--

for its production of wooden flooring - Solid parquet elements with grooves and/or tongues with the following characteristics:


Type : Solid parquet elements with grooves and/or tongues			
Wood species	Quality Class	Usual thickness and width dimensions (mm) in different lengths (mm)	Date of issue
Jatoba Tali Sucupira Lapacho Pau Mulato	Free	a.- Thickness: 19 - 21 mm / Width: 70, 75, 80, 90, 100, 110, 120, 130, 140 or 150 mm b.- Thickness: 17 mm / Width: 70 or 75 mm c.- Thickness: 14 mm / Width: 90 mm	22nd July 2008  Updated 3rd March 2015

Properties	Standards	
	Tests	Requirement
Quality	EN 1.310 y 1.311	
Moisture Content	EN 13.183-1	EN 13.226
Geometric Characteristics	EN 13.647	

LOPEZ PIGUEIRAS, S.A.'s quality mark was approved in the meeting of the managing committee of the AITIM Quality Mark hold on the dates listed in the table.

Madrid, 1st January 2025

THIS CERTIFICATE HAS VALIDITY UNTIL THE 31st DECEMBER 2025



Asociación de investigación Técnica de las Industrias de la Madera

C.I.F. G28194603

C/ Flora, 3-2º Dcha. 28013 MADRID


Telf. 91 542 58 64  
91 547 85 01

Fax: 91 559 05 12

E-Mail:

informame@aitim.es

www.aitim.es





MR. J.ENRIQUE PERAZA SANCHEZ, ARQUITECT, GENERAL SECRETARY OF AITIM (Technical Research Association of the Wood Industries) AND SECRETARY OF THE MANAGING COMMITTEE OF AITIM QUALITY MARK

**C E R T I F I E S:**

That, at present, LOPEZ FIGUEIRAS, S.A has the

Quality Mark	4-3-13 (b)	Wooden flooring - Solid parquet elements with grooves and/or tongues
--------------	------------	--

for its production of wooden flooring - Solid parquet elements with grooves and/or tongues with the following characteristics:

Type : Solid parquet elements with grooves and/or tongues			
Wood species	Quality Class	Usual thickness and width dimensions (mm) in different lengths (mm)	Date of issue
Cumaru Iroko Afzelia Bubinga WalnutNogal	Free	a.- Thickness: 19 - 21 mm / Width: 70, 75, 80, 90, 100, 110, 120, 130, 140 or 150 mm b.- Thickness: 17 mm / Width: 70 or 75 mm c.- Thickness: 14 mm / Width: 90 mm	22nd July 2008  Updated 3rd March 2015

Properties	Standards	
	Tests	Requirement
Quality	EN 1.310 y 1.311	
Moisture Content	EN 13.183-1	EN 13.226
Geometric Characteristics	EN 13.647	

LOPEZ FIGUEIRAS, S.A.'s quality mark was approved in the meeting of the managing committee of the AITIM Quality Mark hold on the dates listed in the table.

Madrid, 1st January 2025

THIS CERTIFICATE HAS VALIDITY UNTIL THE 31st DECEMBER 2025



Asociación de investigación Técnica de las Industrias de la Madera

C.I.F. G28194603

C/ Flora, 3-2º Dcha. 28013 MADRID


Telf. 91 542 58 64  
91 547 85 01

Fax: 91 559 05 12

E-Mail:

informame@aitim.es

www.aitim.es







MR. J.ENRIQUE PERAZA SANCHEZ, ARQUITECT, GENERAL SECRETARY OF AITIM (Technical Research Association of the Wood Industries) AND SECRETARY OF THE MANAGING COMMITTEE OF AITIM QUALITY MARK

**CERTIFIES:**

That, at present, LOPEZ FIGUEIRAS, S.A has the

Quality Mark	4-3-13 (c)	Wooden flooring - Solid parquet elements with grooves and/or tongues
--------------	------------	--

for its production of wooden flooring - Solid parquet elements with grooves and/or tongues with the following characteristics:

Type : Solid parquet elements with grooves and/or tongues			
Wood species	Quality Class	Usual thickness and width dimensions (mm) in different lengths (mm)	Date of issue
Cherry Maple Oak Red river gum (Spain) Southern Yellow Pine	Free	a.- Thickness: 19 - 21 mm / Width: 70, 75, 80, 90, 100, 110, 120, 130, 140 or 150 mm b.- Thickness: 17 mm / Width: 70 or 75 mm c.- Thickness: 14 mm / Width: 90 mm	22nd July 2008  Updated 3rd March 2015

Properties	Standards	
	Tests	Requirement
Quality Moisture Content Geometric Characteristics	EN 1.310 y 1.311 EN 13.183-1 EN 13.647	EN 13.226

LOPEZ FIGUEIRAS, S.A.'s quality mark was approved in the meeting of the managing committee of the AITIM Quality Mark hold on the dates listed in the table.

Madrid, 1st January 2025

THIS CERTIFICATE HAS VALIDITY UNTIL THE 31st DECEMBER 2025




Asociación de Investigación Técnica de las Industrias de la Madera

C.I.F. G28194603

C/ Flora, 3-2º Dcha. 28013 MADRID

Telf. 91 542 58 64  
91 547 85 01  
Fax: 91 559 05 12  
E-Mail: informame@aitim.es  
www.aitim.es



MR. J.ENRIQUE PERAZA SANCHEZ, ARQUITECT, GENERAL SECRETARY OF AITIM (Technical Research Association of the Wood Industries) AND SECRETARY OF THE MANAGING COMMITTEE OF AITIM QUALITY MARK



**CERTIFIES:**

That, at present, LOPEZ FIGUEIRAS, S.A has the

Quality Mark	4-3-13 (d)	Wooden flooring - Solid parquet elements with grooves and/or tongues
--------------	------------	--

for its production of wooden flooring - Solid parquet elements with grooves and/or tongues with the following characteristics:

Type : Solid parquet elements with grooves and/or tongues			
Wood species	Quality Class	Usual thickness and width dimensions (mm) in different lengths (mm)	Date of issue
Wengué	Free	a.- Thickness: 19 - 21 mm / Width: 70, 75, 80, 90, 100, 110, 120, 130, 140 or 150 mm b.- Thickness: 17 mm / Width: 70 or 75 mm c.- Thickness: 14 mm / Width: 90 mm	28th July 2010  Updated 3rd March 2015

Properties	Standards	
	Tests	Requirement
Quality Moisture Content Geometric Characteristics	EN 1.310 y 1.311 EN 13.183-1 EN 13.647	EN 13.226

LOPEZ FIGUEIRAS, S.A.'s quality mark was approved in the meeting of the managing committee of the AITIM Quality Mark hold on the dates listed in the table.

Madrid, 1st January 2025

THIS CERTIFICATE HAS VALIDITY UNTIL THE 31st DECEMBER 2025

Asociación de investigación Técnica de las Industrias de la Madera

C.I.F. G28194603

C/ Flora, 3-2º Dcha. 28013 MADRID

Telf. 91 542 58 64  
91 547 85 01  
Fax: 91 559 05 12  
E-Mail: [informame@aitim.es](mailto:informame@aitim.es)  
[www.aitim.es](http://www.aitim.es)

